

Table 1C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Demographic Indicators
Children Aged < 5 Years (2,3)

Total Records	Number
Individual Children	56,872
Total Records (All Visits)	80,601

Source of Data	Number	%
WIC	56,872	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	56,872	100.0
<i>Excluded Unknown:</i> 0 0.0 %		

Race/Ethnic Distribution	Number	%
White, Not Hispanic	14,575	25.6
Black, Not Hispanic	13,685	24.1
Hispanic	26,615	46.8
American Indian/Alaskan Native	309	0.5
Asian/Pacific Islander	1,093	1.9
Multiple Races	589	1.0
All Other	0	0.0
Total	56,866	100.0
<i>Excluded Unknown:</i> 6 * %		

Age Distribution (4)	Number	%
0 - 5 Months	16,529	29.1
6 - 11 Months	1,484	2.6
12 - 23 Months	14,610	25.7
24 - 35 Months	9,282	16.3
3 - 4 Years	14,967	26.3
Total	56,872	100.0

% of Poverty Level	Number	%
0-50	29,153	51.7
51-100	12,317	21.8
101-130	6,798	12.1
131-150	3,048	5.4
151-185	4,222	7.5
186-200	287	0.5
Over 200	557	1.0
Adjunctive Eligibility	0	0.0
Total	56,382	100.0
<i>Excluded Unknown:</i> 490 0.9 %		

Program Participation	Number	%
WIC	56,872	100.0
FoodStamps	56,872	19.9
Medicaid	56,872	82.7
TANF	56,872	9.2
<i>Excluded Unknown:</i>		
WIC	0	0.0
FoodStamps	0	0.0
Medicaid	0	0.0
TANF	0	0.0

Migrant Status	Number	%
Yes	16	*
No	55,896	100.0
Total	55,912	100.0
<i>Excluded Unknown:</i> 960 1.7 %		

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 2C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Summary of Health Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Health Indicators ⁽³⁾						
			Connecticut Prevalence		National Prevalence (Prior Year)	
			Number	%	Number	%
Birthweight (4)						
Low	< 2500 g		15,771	8.8	1,842,970	9.2
High	> 4000 g		15,771	6.5	1,842,970	6.6
Height and Weight						
Short Stature (5)						
	< 5th		55,220	3.9	7,192,043	6.4
	< 10th		55,220	8.0	7,192,043	11.4
Underweight (6)						
	< 5th		55,220	7.6	7,192,043	4.7
	< 10th		55,220	12.3	7,192,043	8.0
Overweight (6)						
	≥ 95th		55,220	12.4	7,192,043	13.8
≥ 2 Yrs Overweight (6)						
	85th - < 95th		23,356	16.0	2,945,212	16.4
	≥ 95th		23,356	16.2	2,945,212	14.8
Anemia (7)						
Low Hb			36,414	9.7	4,092,770	14.3
Low Hct			859	8.0	652,304	10.9
Low Hb/Hct			37,273	9.7	4,521,591	14.0
Breastfeeding (8)						
Ever Breastfed			15,813	60.6	1,577,832	60.1
Breastfed At Least 6 Months			5,604	24.0	790,341	25.2
Breastfed At Least 12 Months			10,416	18.7	875,205	18.1
Smoking in Household			0	*	2,855,916	10.6
≤ 2 Hours TV Viewing/ Day (9)			0	*	584,732	73.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 3C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Summary of Breastfeeding Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Breastfeeding Indicators ⁽³⁾				
	Connecticut Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
Breastfeeding Duration ^(4,5)				
Ever Breastfed	15,813	60.6	1,577,832	60.1
Breastfed 1+ Weeks	12,221	64.4	1,299,520	58.5
Breastfed 2+ Weeks	7,441	61.3	1,030,249	55.2
Breastfed 3+ Weeks	4,958	59.3	852,030	52.5
Breastfed 4+ Weeks	3,676	56.9	746,660	49.9
Breastfed 6+ Weeks	2,711	48.7	628,208	44.0
Breastfed 2+ Months	2,549	37.2	581,374	38.7
Breastfed 3+ Months	3,022	31.7	610,380	33.8
Breastfed 4+ Months	3,782	28.8	683,087	29.9
Breastfed 5+ Months	4,704	26.9	763,521	27.0
Breastfed 6+ Months	5,604	24.0	790,341	25.2
Breastfed 9+ Months	8,158	21.2	820,087	20.7
Breastfed 12+ Months	10,416	18.7	875,205	18.1
Breastfed 18+ Months	7,141	12.7	660,721	12.2
Exclusive Breastfeeding ⁽⁶⁾				
Exclusively Breastfed at Least 3 Months	0	*	104,492	10.3
Exclusively Breastfed at Least 6 Months	0	*	143,261	5.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut

Comparison of Racial and Ethnic Distribution by Contributor
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Contributor								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Connecticut	56,872	25.6	24.1	46.8	0.5	1.9	1.0	0.0
Nation (Prior Year)	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Comparison of Age Distribution by Contributor
Children Aged < 5 Years (2)

Comparison of Age Distribution by Contributor				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Connecticut	56,872	31.7	25.7	42.6
Nation (Prior Year)	7,599,318	37.6	21.8	40.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Comparison of Growth and Anemia Indicators by Contributor
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Contributor (3)												
Contributor	Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Over- weight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th- <95th	% ≥95th	Number	%
Connecticut	15,771	8.8	6.5	55,220	3.9	7.6	12.4	23,356	16.0	16.2	37,273	9.7
Nation (Prior Year)	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,212	16.4	14.8	4,521,591	14.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7C
2007 Pediatric Nutrition Surveillance (1)
Connecticut

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor
(4)

Contributor	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
Connecticut	15,813	60.6	5,604	24.0	10,416	18.7	0	*	0	*	0	*		
Nation (Prior Year)	1,577,832	60.1	790,341	25.2	875,205	18.1	104,492	10.3	143,261	5.6	584,732	73.3	2,855,911	10.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 8C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Growth and Anemia Indicators by Race/Ethnicity or Age
Children Aged < 5 Years ⁽²⁾

Growth and Anemia Indicators by Race/Ethnicity or Age ⁽³⁾												
	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Number	Low %	High %	Number	Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
		<2500 g	>4000 g		% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th		
Race/Ethnicity												
White, Not Hispanic	4,230	8.1	7.6	14,197	4.1	8.2	10.6	5,856	15.5	14.0	9,240	7.2
Black, Not Hispanic	3,788	11.2	4.9	13,229	3.7	8.9	10.7	5,687	14.4	13.5	9,050	13.3
Hispanic	7,110	8.0	6.6	25,872	3.8	6.4	14.4	11,098	17.0	19.0	17,772	9.0
American Indian/Alaskan Native	131	6.9	5.3	301	4.7	13.0	9.3	88	*	*	152	11.8
Asian/Pacific Islander	319	8.5	7.2	1,051	4.5	12.4	9.3	438	14.2	11.4	710	12.4
Multiple Races	188	6.9	8.5	564	3.7	8.7	11.0	189	18.0	11.1	349	11.2
All Other	5	*	*	6	*	*	*	0	*	*	0	*
Total	15,771	8.8	6.5	55,220	3.9	7.6	12.4	23,356	16.0	16.2	37,273	9.7
Age												
0 - 11 Months	-	-	-	17,827	3.7	13.3	5.7	-	*	*	2,801	11.5
12 - 23 Months	-	-	-	14,037	4.8	5.9	14.5	-	*	*	13,140	11.0
24 - 35 Months	-	-	-	9,026	3.3	5.5	13.6	9,026	15.0	13.6	8,608	9.9
36 - 47 Months	-	-	-	7,636	3.7	3.8	17.3	7,636	16.9	17.3	7,370	8.2
48 - 59 Months	-	-	-	6,694	3.5	3.5	18.3	6,694	16.1	18.3	5,354	7.3
Total	-	-	-	55,220	3.9	7.6	12.4	23,356	16.0	16.2	37,273	9.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 9C
2007 Pediatric Nutrition Surveillance (1)
Connecticut

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (2)
Children Aged < 5 Years (3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	4,241	57.0	1,392	19.5	2,593	16.2	0	*	0	*
Black, Not Hispanic	3,804	55.1	1,360	21.7	2,512	15.2	0	*	0	*
Hispanic	7,119	65.5	2,642	27.6	4,942	21.8	0	*	0	*
American Indian/Alaskan Native	133	59.4	37	*	59	*	0	*	0	*
Asian/Pacific Islander	321	67.9	112	28.6	184	25.0	0	*	0	*
Multiple Races	190	54.2	61	*	126	10.3	0	*	0	*
All Other	5	*	0	*	0	*	0	*	0	*
Total	15,813	60.6	5,604	24.0	10,416	18.7	0	*	0	*
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	0	*
12 - 23 Months	-	-	-	-	-	-	0	*	0	*
24 - 35 Months	-	-	-	-	-	-	0	*	0	*
36 - 47 Months	-	-	-	-	-	-	0	*	0	*
48 - 59 Months	-	-	-	-	-	-	0	*	0	*
Total	15,813	60.6	5,604	24.0	10,416	18.7	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2007	56,872	25.6	24.1	46.8	0.5	1.9	1.0	0.0
2006	55,013	26.7	24.8	45.3	0.4	1.8	0.9	0.0
2005	54,764	27.5	25.6	43.7	0.3	1.8	0.6	0.5
2004	56,050	27.8	26.5	41.4	0.2	1.5	0.2	2.3
2003	46,886	28.0	26.5	40.4	0.2	1.3	0.0	3.7
2002	761	31.1	24.6	38.0	0.3	1.6	0.0	4.5
2001	51,410	29.6	27.7	38.4	0.2	1.2	0.0	2.9
2000	857	35.8	28.5	32.1	0.0	0.8	0.0	2.8
1999	13	*	*	*	*	*	*	*
1998	53,177	31.8	29.7	35.2	0.2	1.2	0.0	2.0
1997	49,384	32.9	29.3	34.7	0.2	1.3	0.0	1.6
1996	0	*	*	*	*	*	*	*
1995	5,838	36.4	25.9	36.2	1.2	0.3	0.0	0.0
1994	6,823	38.8	26.2	33.8	1.1	0.2	0.0	0.0
1993	6,625	39.3	26.2	33.3	1.0	0.3	0.0	0.0
1992	3,587	37.9	29.5	31.7	0.8	0.2	0.0	0.0
1991	6,882	42.9	26.0	30.3	0.6	0.1	0.0	0.0
1990	6,002	42.8	28.4	28.1	0.5	0.1	0.0	0.0
1989	5,867	44.7	28.7	25.6	0.7	0.2	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 10C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years (2)

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1988	5,907	51.0	26.3	21.7	0.6	0.4	0.0	0.0
1987	5,234	54.2	25.1	19.9	0.6	0.3	0.0	0.0
1986	2,396	59.2	28.1	11.7	0.7	0.3	0.0	0.0
1985	2,344	65.9	23.6	9.4	0.8	0.4	0.0	0.0
1984	2,529	70.1	19.4	9.6	0.6	0.4	0.0	0.0
1983	2,009	77.1	11.1	10.0	0.4	1.3	0.0	0.0
1982	3,232	57.3	17.8	23.2	0.3	1.4	0.0	0.0
1981	40	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 11C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2007	56,872	31.7	25.7	42.6
2006	55,013	31.6	25.3	43.1
2005	54,764	29.9	22.8	47.3
2004	56,050	28.8	22.8	48.5
2003	46,886	27.9	22.7	49.4
2002	761	33.1	26.0	40.9
2001	51,410	34.7	21.1	44.1
2000	857	45.6	15.5	38.9
1999	13	*	*	*
1998	53,177	34.8	20.4	44.8
1997	49,384	26.8	22.5	50.7
1996	0	*	*	*
1995	5,838	34.8	18.6	46.6
1994	6,823	34.7	18.3	47.0
1993	6,625	33.8	18.9	47.4
1992	3,587	33.0	20.2	46.8
1991	6,882	35.3	20.0	44.6
1990	6,002	36.2	19.5	44.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Records rejected if date of birth and date of visit unknown.
(4) Excludes records with unknown data or errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 11C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1989	5,867	35.0	19.6	45.4
1988	5,907	35.0	20.2	44.8
1987	5,234	33.0	19.3	47.7
1986	2,396	37.1	22.3	40.7
1985	2,344	42.0	21.2	36.7
1984	2,529	53.6	16.5	29.9
1983	2,009	59.6	15.6	24.8
1982	3,232	59.8	13.6	26.6
1981	40	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 12C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g							Number	% <5th	% <5th
2007	15,771	8.8	6.5	55,220	3.9	7.6	12.4	23,356	16.0	16.2	37,273	9.7
2006	15,230	9.5	6.7	53,416	3.9	7.7	12.2	22,854	16.5	16.2	36,481	9.4
2005	14,616	9.3	7.0	53,180	4.0	7.1	12.7	24,956	16.3	16.6	37,032	8.7
2004	14,430	9.2	6.9	54,429	4.0	7.0	13.1	26,109	15.9	16.9	38,724	9.4
2003	10,899	9.7	6.9	45,457	6.0	5.1	16.8	22,495	17.6	19.6	36,004	9.9
2002	215	10.7	7.0	649	4.8	7.9	14.3	280	18.2	19.6	554	10.1
2001	13,868	9.0	7.9	50,032	6.2	5.2	16.3	22,083	17.3	18.7	39,670	10.4
2000	376	7.4	9.0	829	3.3	5.9	13.6	319	17.9	16.6	591	10.7
1999	0	*	*	2	*	*	*	0	*	*	5	*
1998	14,129	10.3	8.0	51,780	6.7	5.3	15.4	23,272	17.8	17.8	41,153	10.8

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Infants born during the reporting period included in the analysis.
(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%
1997	8,817	9.4	8.1	48,370	6.9	4.9	15.9	24,511	17.1	16.6	42,707	10.8
1996	0	*	*	0	*	*	*	0	*	*	0	*
1995	992	8.9	8.9	5,683	4.7	6.6	11.5	2,659	15.0	13.2	3,407	9.4
1994	1,448	7.9	8.6	6,620	4.8	7.4	11.2	3,096	13.8	12.7	4,269	7.3
1993	1,215	10.1	6.0	6,431	4.7	7.4	10.7	3,068	12.9	11.8	4,065	6.0
1992	623	8.2	8.7	3,469	5.2	7.5	12.2	1,639	13.8	12.6	1,911	8.7
1991	1,401	8.3	7.6	6,582	4.6	8.2	10.5	2,952	14.7	11.3	4,497	9.4
1990	1,204	9.1	8.0	5,705	5.0	7.4	10.5	2,588	14.5	11.0	3,907	7.8
1989	1,237	10.3	7.0	5,570	4.8	6.8	10.4	2,582	13.7	11.0	3,909	8.4
1988	1,092	7.9	9.2	5,598	4.5	7.5	10.1	2,556	12.9	11.0	3,886	8.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%
1987	1,039	8.3	9.9	4,983	4.7	7.2	9.3	2,416	13.6	9.9	3,209	7.5
1986	487	8.4	9.2	2,320	5.9	6.4	10.6	949	12.8	8.7	1,498	7.6
1985	615	9.1	7.8	2,268	6.7	8.1	8.8	852	11.0	6.7	1,506	11.0
1984	926	9.4	9.9	2,420	6.2	9.1	6.4	723	12.3	6.6	1,311	10.1
1983	844	8.9	8.8	1,928	6.6	12.6	7.6	488	8.8	7.2	978	9.6
1982	1,653	9.7	6.2	2,991	8.5	11.3	6.4	838	13.0	7.6	1,371	10.9
1981	30	*	*	26	*	*	*	4	*	*	6	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2007	15,813	60.6	5,604	24.0	10,416	18.7
2006	15,299	57.8	5,370	24.6	9,809	18.3
2005	14,667	56.3	5,330	22.9	9,646	17.2
2004	14,459	55.3	5,725	22.9	10,005	17.2
2003	10,899	53.8	4,793	23.0	7,741	16.5
2002	215	56.7	151	23.8	183	15.3
2001	13,868	49.3	8,784	23.4	7,977	17.7
2000	377	46.4	196	15.8	131	11.5
1999	0	*	7	*	1	*
1998	14,129	42.7	8,760	22.4	7,588	16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 13C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1997	8,817	40.2	8,818	17.5	7,760	11.8
1996	0	*	0	*	0	*
1995	788	35.7	300	11.3	197	7.1
1994	1,151	33.7	628	12.4	447	5.1
1993	995	33.3	508	9.6	378	4.5
1992	556	26.1	308	8.1	237	4.2
1991	1,286	25.8	814	7.4	689	3.6
1990	1,087	29.8	665	8.3	561	2.5
1989	1,152	26.1	788	7.0	645	3.7
1988	1,047	26.7	837	6.6	618	2.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 13C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Breastfeeding
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding (3)						
	Breastfeeding (4)					
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1987	1,002	25.1	736	7.3	613	4.4
1986	487	37.4	354	12.4	298	3.4
1985	613	36.4	458	7.2	344	4.9
1984	925	38.9	479	15.0	332	8.1
1983	845	40.4	347	15.9	191	11.0
1982	1,653	30.7	370	13.0	245	4.9
1981	30	*	0	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 14C
2007 Pediatric Nutrition Surveillance
Connecticut
Children Aged < 5 Years

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C
2007 Pediatric Nutrition Surveillance
Connecticut
Children Aged < 5 Years

Page: 1
Run Date: 4 / 30 / 08

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 16C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	4,816	4.1	4,816	13.2	4,816	5.9	0	0.0	0.0
12 - 23 Months	3,525	4.6	3,525	7.1	3,525	11.6	0	0.0	0.0
24 - 59 Months	5,856	3.8	5,856	4.7	5,856	14.0	5,856	15.5	14.0
Total	14,197	4.1	14,197	8.2	14,197	10.6	5,856	15.5	14.0
Black, Not Hispanic									
0 - 11 Months	4,250	4.1	4,250	15.3	4,250	4.7	0	0.0	0.0
12 - 23 Months	3,292	4.7	3,292	6.6	3,292	13.9	0	0.0	0.0
24 - 59 Months	5,687	2.8	5,687	5.4	5,687	13.5	5,687	14.4	13.5
Total	13,229	3.7	13,229	8.9	13,229	10.7	5,687	14.4	13.5
Hispanic									
0 - 11 Months	8,038	3.3	8,038	12.2	8,038	6.2	0	0.0	0.0
12 - 23 Months	6,736	4.9	6,736	4.5	6,736	16.5	0	0.0	0.0
24 - 59 Months	11,098	3.5	11,098	3.4	11,098	19.0	11,098	17.0	19.0
Total	25,872	3.8	25,872	6.4	25,872	14.4	11,098	17.0	19.0
American Indian/Alaskan Native									
0 - 11 Months	150	4.0	150	14.7	150	3.3	0	0.0	0.0
12 - 23 Months	63	*	63	*	63	*	0	*	*
24 - 59 Months	88	*	88	*	88	*	88	*	*
Total	301	4.7	301	13.0	301	9.3	88	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander									
0 - 11 Months	358	5.3	358	16.8	358	5.3	0	0.0	0.0
12 - 23 Months	255	3.1	255	11.4	255	11.4	0	0.0	0.0
24 - 59 Months	438	4.6	438	9.4	438	11.4	438	14.2	11.4
Total	1,051	4.5	1,051	12.4	1,051	9.3	438	14.2	11.4
Multiple Races									
0 - 11 Months	209	1.4	209	11.5	209	7.7	0	0.0	0.0
12 - 23 Months	166	6.6	166	7.2	166	15.1	0	0.0	0.0
24 - 59 Months	189	3.7	189	6.9	189	11.1	189	18.0	11.1
Total	564	3.7	564	8.7	564	11.0	189	18.0	11.1
All Other/Unknown									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	6	*	6	*	6	*	0	*	*
Total All Race/Ethnic Groups									
0 - 11 Months	17,827	3.7	17,827	13.3	17,827	5.7	0	0.0	0.0
12 - 23 Months	14,037	4.8	14,037	5.9	14,037	14.5	0	0.0	0.0
24 - 59 Months	23,356	3.5	23,356	4.4	23,356	16.2	23,356	16.0	16.2
Total	55,220	3.9	55,220	7.6	55,220	12.4	23,356	16.0	16.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 4 / 30 / 08

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
White, Not Hispanic					
6 - 11 Months	781	8.7	Asian/Pacific Islander		
12 - 17 Months	2,080	7.5	6 - 11 Months	65	*
18 - 23 Months	1,141	8.2	12 - 17 Months	148	14.9
24 - 35 Months	2,158	7.1	18 - 23 Months	86	*
36 - 59 Months	3,080	6.4	24 - 35 Months	156	16.0
Total	9,240	7.2	36 - 59 Months	255	11.0
			Total	710	12.4
Black, Not Hispanic			Multiple Races		
6 - 11 Months	661	15.6	6 - 11 Months	45	*
12 - 17 Months	2,062	14.0	12 - 17 Months	84	*
18 - 23 Months	1,043	14.7	18 - 23 Months	50	*
24 - 35 Months	2,102	13.2	24 - 35 Months	74	*
36 - 59 Months	3,182	11.9	36 - 59 Months	96	*
Total	9,050	13.3	Total	349	11.2
Hispanic			All Other/Unknown		
6 - 11 Months	1,232	11.0	6 - 11 Months	0	*
12 - 17 Months	4,153	11.3	12 - 17 Months	0	*
18 - 23 Months	2,236	10.6	18 - 23 Months	0	*
24 - 35 Months	4,087	9.5	24 - 35 Months	0	*
36 - 59 Months	6,064	6.2	36 - 59 Months	0	*
Total	17,772	9.0	Total	0	*
American Indian/Alaskan Native			Total All Race/Ethnic Groups		
6 - 11 Months	17	*	6 - 11 Months	2,801	11.5
12 - 17 Months	40	*	12 - 17 Months	8,567	11.1
18 - 23 Months	17	*	18 - 23 Months	4,573	10.9
24 - 35 Months	31	*	24 - 35 Months	8,608	9.9
36 - 59 Months	47	*	36 - 59 Months	12,724	7.8
Total	152	11.8	Total	37,273	9.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2007 Pediatric Nutrition Surveillance (1)
Connecticut

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
White, Not Hispanic	2007	4,230	8.1	7.6	14,197	4.1	8.2	10.6	5,856	15.5	14.0	9,240	7.2
	2006	4,180	8.7	8.3	14,303	4.3	7.9	10.4	5,929	16.3	13.9	9,460	7.9
	2005	4,217	8.9	8.6	14,684	4.4	7.7	11.0	6,542	15.5	14.2	9,856	6.7
	2004	4,283	8.6	9.0	15,194	4.5	7.4	10.9	6,887	15.5	14.4	10,335	7.1
	2003	3,321	8.8	8.9	12,755	6.3	5.2	14.4	6,067	18.5	16.2	9,739	7.4
	2002	77	*	*	212	5.2	6.6	17.9	84	*	*	165	6.7
	2001	4,325	8.4	9.9	14,869	6.4	5.6	13.7	6,259	17.5	15.2	11,413	7.7
	2000	150	7.3	11.3	295	4.1	5.4	11.9	98	*	*	195	6.7
	1999	0	*	*	0	*	*	*	0	*	*	0	*
	1998	4,918	9.2	10.4	16,507	6.5	6.1	12.8	6,861	16.4	14.8	12,573	7.4
Black, Not Hispanic	2007	3,788	11.2	4.9	13,229	3.7	8.9	10.7	5,687	14.4	13.5	9,050	13.3
	2006	3,785	11.7	5.6	13,170	3.9	9.0	10.8	5,703	15.3	13.7	9,102	12.6
	2005	3,565	11.8	5.4	13,491	3.6	8.0	11.4	6,422	14.4	14.3	9,656	11.9
	2004	3,829	11.9	5.4	14,373	3.7	7.8	11.7	7,009	15.5	14.4	10,361	12.9
	2003	2,848	12.1	5.6	11,993	5.8	5.8	15.7	5,905	16.2	17.3	9,590	13.4
	2002	50	*	*	154	3.9	12.3	7.8	66	*	*	140	13.6
	2001	3,815	11.5	6.2	13,810	6.3	5.5	15.7	6,132	16.7	16.5	11,119	14.3
	2000	105	7.6	6.7	236	2.1	7.2	14.4	91	*	*	174	13.8
	1999	0	*	*	0	*	*	*	0	*	*	1	*
	1998	4,194	12.6	6.6	15,322	6.4	5.6	14.8	6,904	17.2	16.0	12,333	14.8

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Infants born during the reporting period included in the analysis.
(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2007 Pediatric Nutrition Surveillance (1)
Connecticut

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
Hispanic	2007	7,110	8.0	6.6	25,872	3.8	6.4	14.4	11,098	17.0	19.0	17,772	9.0
	2006	6,695	8.8	6.3	24,248	3.7	6.5	14.3	10,573	17.5	19.1	16,849	8.5
	2005	6,342	8.1	6.8	23,289	3.8	6.1	14.9	11,208	17.9	19.9	16,332	8.1
	2004	5,669	7.9	6.4	22,520	3.8	5.9	15.6	11,147	16.4	20.1	16,404	8.7
	2003	4,107	9.0	6.4	18,364	6.0	4.1	19.6	9,478	18.2	23.3	14,887	9.1
	2002	71	*	*	242	5.4	5.8	15.7	119	20.2	20.2	220	10.9
	2001	5,078	7.5	7.6	19,204	6.0	4.5	19.2	8,849	17.7	23.1	15,470	9.7
	2000	100	6.0	9.0	267	3.7	5.6	15.0	121	20.7	21.5	206	12.6
	1999	0	*	*	2	*	*	*	0	*	*	3	*
	1998	4,504	9.7	6.7	18,204	7.1	4.3	18.4	8,815	19.5	21.9	14,897	10.2
American Indian/Alaskan Native	2007	131	6.9	5.3	301	4.7	13.0	9.3	88	*	*	152	11.8
	2006	83	*	*	198	3.5	11.6	13.6	69	*	*	110	10.0
	2005	49	*	*	157	5.1	12.1	10.2	69	*	*	102	7.8
	2004	34	*	*	117	5.1	7.7	9.4	57	*	*	85	*
	2003	19	*	*	89	*	*	*	44	*	*	70	*
	2002	1	*	*	2	*	*	*	0	*	*	2	*
	2001	29	*	*	90	*	*	*	36	*	*	70	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*
	1999	0	*	*	0	*	*	*	0	*	*	0	*
	1998	33	*	*	98	*	*	*	46	*	*	74	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2007 Pediatric Nutrition Surveillance (1)
Connecticut

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
Asian/Pacific Islander	2007	319	8.5	7.2	1,051	4.5	12.4	9.3	438	14.2	11.4	710	12.4
	2006	273	11.4	4.8	982	4.2	13.6	7.0	426	12.2	8.7	675	10.8
	2005	286	10.5	4.9	983	5.3	10.8	7.7	456	13.2	8.3	689	8.1
	2004	254	12.2	7.1	843	3.9	12.2	10.3	367	9.5	14.7	568	7.7
	2003	149	8.7	2.7	575	6.3	7.1	13.4	270	13.0	17.8	435	9.0
	2002	4	*	*	11	*	*	*	4	*	*	8	*
	2001	217	10.6	6.0	608	6.7	8.7	12.7	222	14.0	16.7	446	9.6
	2000	5	*	*	7	*	*	*	2	*	*	3	*
	1999	0	*	*	0	*	*	*	0	*	*	0	*
	1998	173	8.1	4.6	622	6.9	7.9	13.8	268	15.7	16.4	482	9.8
Multiple Races	2007	188	6.9	8.5	564	3.7	8.7	11.0	189	18.0	11.1	349	11.2
	2006	208	7.7	7.7	505	4.2	8.7	9.9	152	15.8	13.2	279	9.7
	2005	131	7.6	10.7	327	4.0	8.0	9.8	129	17.1	9.3	190	9.5
	2004	35	*	*	119	0.8	8.4	7.6	43	*	*	82	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*
	1999	0	*	*	0	*	*	*	0	*	*	0	*
	1998	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2007 Pediatric Nutrition Surveillance (1)
Connecticut

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th	Number	%
All Other/Unknown	2007	5	*	*	6	*	*	*	0	*	*	0	*
	2006	6	*	*	10	*	*	*	2	*	*	6	*
	2005	26	*	*	249	4.0	4.8	14.1	130	19.2	13.8	207	8.2
	2004	326	7.4	6.4	1,263	4.0	9.4	13.1	599	17.0	16.4	889	8.1
	2003	455	8.1	6.6	1,681	5.3	7.6	14.6	731	16.1	17.4	1,283	11.5
	2002	12	*	*	28	*	*	*	7	*	*	19	*
	2001	404	9.4	7.7	1,451	5.7	7.0	12.3	585	17.4	13.2	1,152	10.9
	2000	16	*	*	24	*	*	*	7	*	*	13	*
	1999	0	*	*	0	*	*	*	0	*	*	1	*
	1998	307	7.2	8.5	1,027	6.1	5.5	13.6	378	17.5	15.1	794	12.5
Total All Race/Ethnic Groups	2007	15,771	8.8	6.5	55,220	3.9	7.6	12.4	23,356	16.0	16.2	37,273	9.7
	2006	15,230	9.5	6.7	53,416	3.9	7.7	12.2	22,854	16.5	16.2	36,481	9.4
	2005	14,616	9.3	7.0	53,180	4.0	7.1	12.7	24,956	16.3	16.6	37,032	8.7
	2004	14,430	9.2	6.9	54,429	4.0	7.0	13.1	26,109	15.9	16.9	38,724	9.4
	2003	10,899	9.7	6.9	45,457	6.0	5.1	16.8	22,495	17.6	19.6	36,004	9.9
	2002	215	10.7	7.0	649	4.8	7.9	14.3	280	18.2	19.6	554	10.1
	2001	13,868	9.0	7.9	50,032	6.2	5.2	16.3	22,083	17.3	18.7	39,670	10.4
	2000	376	7.4	9.0	829	3.3	5.9	13.6	319	17.9	16.6	591	10.7
	1999	0	*	*	2	*	*	*	0	*	*	5	*
	1998	14,129	10.3	8.0	51,780	6.7	5.3	15.4	23,272	17.8	17.8	41,153	10.8

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Infants born during the reporting period included in the analysis.
(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2007	4,241	57.0	1,392	19.5	2,593	16.2
	2006	4,195	54.8	1,513	22.4	2,623	17.7
	2005	4,232	52.9	1,501	21.7	2,710	16.6
	2004	4,288	51.5	1,645	20.9	2,834	14.4
	2003	3,321	48.9	1,257	18.1	2,152	13.8
	2002	77	*	47	*	59	*
	2001	4,325	44.7	2,510	20.2	2,368	15.7
	2000	150	48.0	70	*	48	*
	1999	0	*	4	*	0	*
	1998	4,918	43.1	2,785	21.9	2,306	16.5
Black, Not Hispanic	2007	3,804	55.1	1,360	21.7	2,512	15.2
	2006	3,807	51.2	1,189	21.5	2,317	13.9
	2005	3,590	49.4	1,362	17.8	2,506	14.2
	2004	3,840	49.5	1,523	20.3	2,597	14.9
	2003	2,848	49.8	1,315	20.5	2,064	15.7
	2002	50	*	35	*	47	*
	2001	3,815	43.0	2,551	23.1	2,150	16.8
	2000	105	45.7	57	*	40	*
	1999	0	*	0	*	0	*
	1998	4,194	37.9	2,777	20.1	2,273	15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 19C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2007	7,119	65.5	2,642	27.6	4,942	21.8
	2006	6,725	63.0	2,487	27.4	4,552	20.6
	2005	6,352	61.9	2,311	26.1	4,133	18.9
	2004	5,680	60.7	2,331	25.4	4,170	20.0
	2003	4,107	58.6	1,904	26.6	3,090	17.6
	2002	71	*	59	*	62	*
	2001	5,078	56.4	3,296	24.6	3,084	18.3
	2000	101	45.5	62	*	42	*
	1999	0	*	1	*	1	*
	1998	4,504	45.4	2,870	24.4	2,753	17.6
American Indian/Alaskan Native	2007	133	59.4	37	*	59	*
	2006	85	*	18	*	33	*
	2005	50	*	15	*	28	*
	2004	34	*	12	*	21	*
	2003	19	*	11	*	17	*
	2002	1	*	1	*	1	*
	2001	29	*	13	*	15	*
	2000	0	*	0	*	0	*
	1999	0	*	0	*	0	*
	1998	33	*	20	*	12	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 19C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2007	321	67.9	112	28.6	184	25.0
	2006	273	66.7	95	*	178	32.0
	2005	286	68.5	104	31.7	173	23.7
	2004	255	63.5	90	*	158	23.4
	2003	149	59.1	78	*	98	*
	2002	4	*	2	*	4	*
	2001	217	48.8	125	18.4	86	*
	2000	5	*	1	*	0	*
	1999	0	*	0	*	0	*
	1998	173	44.5	102	28.4	89	*
Multiple Races	2007	190	54.2	61	*	126	10.3
	2006	208	53.4	67	*	106	8.5
	2005	131	54.2	31	*	60	*
	2004	35	*	12	*	33	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*
	2000	0	*	0	*	0	*
	1999	0	*	0	*	0	*
	1998	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 19C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2007	5	*	0	*	0	*
	2006	6	*	1	*	0	*
	2005	26	*	6	*	36	*
	2004	327	69.1	112	27.7	192	25.0
	2003	455	70.8	228	33.3	320	28.1
	2002	12	*	7	*	10	*
	2001	404	69.1	289	41.2	274	31.8
	2000	16	*	6	*	1	*
	1999	0	*	2	*	0	*
	1998	307	58.3	206	30.6	155	21.3
Total All Race/Ethnic Groups	2007	15,813	60.6	5,604	24.0	10,416	18.7
	2006	15,299	57.8	5,370	24.6	9,809	18.3
	2005	14,667	56.3	5,330	22.9	9,646	17.2
	2004	14,459	55.3	5,725	22.9	10,005	17.2
	2003	10,899	53.8	4,793	23.0	7,741	16.5
	2002	215	56.7	151	23.8	183	15.3
	2001	13,868	49.3	8,784	23.4	7,977	17.7
	2000	377	46.4	196	15.8	131	11.5
	1999	0	*	7	*	1	*
	1998	14,129	42.7	8,760	22.4	7,588	16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 20C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																		
Age and Year *	Height and Weight								Age and Year *	Height and Weight								
	Short Stature (4)		Under-weight (5)	Over-weight (5)		≥ 2 Yrs Overweight (5)				Short Stature (4)		Under-weight (5)	Over-weight (5)		≥ 2 Yrs Overweight (5)			
	Number	%	%	%	Number	%	%			Number	%	%	Number	%	%	Number	%	%
	<5th	<5th	≥95th		85th-<95th	≥95th			<5th	<5th	≥95th		85th-<95th	≥95th			85th-<95th	≥95th
0 - 11 Months								24 - 35 Months										
2007	17,827	3.7	13.3	5.7	0	*	*	2007	9,026	3.3	5.5	13.6	9,026	15.0	13.6			
2006	17,275	4.0	13.8	5.5	0	*	*	2006	8,701	3.1	5.1	13.4	8,701	15.1	13.4			
2005	16,254	4.1	12.1	5.6	0	*	*	2005	9,106	3.2	6.2	13.0	9,106	14.9	13.0			
2004	15,989	4.3	12.2	6.0	0	*	*	2004	9,346	3.3	5.6	14.5	9,346	13.7	14.5			
2003	12,437	6.8	8.4	11.6	0	*	*	2003	8,380	4.8	4.4	17.1	8,380	16.3	17.1			
2002	209	4.8	9.6	10.0	0	*	*	2002	74	*	*	*	74	*	*			
2001	17,237	6.8	7.5	11.7	0	*	*	2001	8,294	4.8	5.1	16.4	8,294	15.7	16.4			
2000	378	2.9	6.6	10.1	0	*	*	2000	93	*	*	*	93	*	*			
1999	1	*	*	*	0	*	*	1999	0	*	*	*	0	*	*			
1998	17,801	6.8	8.1	10.8	0	*	*	1998	8,408	6.0	4.4	16.3	8,408	16.2	16.3			
12 - 23 Months								36 - 47 Months										
2007	14,037	4.8	5.9	14.5	0	*	*	2007	7,636	3.7	3.8	17.3	7,636	16.9	17.3			
2006	13,287	4.8	5.7	14.2	0	*	*	2006	7,446	3.5	3.5	16.6	7,446	17.4	16.6			
2005	11,970	4.7	5.7	14.3	0	*	*	2005	7,744	3.9	3.8	18.1	7,744	17.2	18.1			
2004	12,331	4.6	6.0	14.2	0	*	*	2004	8,209	3.7	3.8	18.5	8,209	16.7	18.5			
2003	10,525	7.3	4.4	17.3	0	*	*	2003	6,906	6.1	3.1	21.5	6,906	17.8	21.5			
2002	160	5.0	10.6	10.6	0	*	*	2002	66	*	*	*	66	*	*			
2001	10,712	8.2	4.2	18.9	0	*	*	2001	6,970	5.1	3.4	19.7	6,970	18.7	19.7			
2000	132	4.5	7.6	16.7	0	*	*	2000	72	*	*	*	72	*	*			
1999	1	*	*	*	0	*	*	1999	0	*	*	*	0	*	*			
1998	10,707	7.8	4.4	17.6	0	*	*	1998	7,408	6.5	3.4	18.9	7,408	18.4	18.9			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 20C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																	
Age and Year *	Height and Weight								Height and Weight								
	Short Stature (4)		Under-weight (5)	Over-weight (5)		≥ 2 Yrs Overweight (5)			Short Stature (4)		Under-weight (5)	Over-weight (5)		≥ 2 Yrs Overweight (5)			
	Number	%	%	%	Number	%	%		Number	%	%	Number	%	%	Number	%	%
	<5th	<5th	≥95th	85th-<95th	≥95th	<5th	<5th	≥95th	85th-<95th	≥95th	<5th	<5th	≥95th	85th-<95th	≥95th	85th-<95th	≥95th
48 - 59 Months																	
2007	6,694	3.5	3.5	18.3	6,694	16.1	18.3										
2006	6,707	3.5	3.6	19.3	6,707	17.4	19.3										
2005	8,106	3.5	3.5	19.4	8,106	17.0	19.4										
2004	8,554	3.4	3.4	17.9	8,554	17.5	17.9										
2003	7,209	4.2	2.9	20.5	7,209	18.9	20.5										
2002	140	5.0	3.6	20.0	140	23.6	20.0										
2001	6,819	4.5	2.9	20.4	6,819	17.9	20.4										
2000	154	2.6	3.9	16.2	154	18.2	16.2										
1999	0	*	*	*	0	*	*										
1998	7,456	5.5	2.9	18.5	7,456	19.1	18.5										
Total All Age Groups																	
2007	55,220	3.9	7.6	12.4	23,356	16.0	16.2										
2006	53,416	3.9	7.7	12.2	22,854	16.5	16.2										
2005	53,180	4.0	7.1	12.7	24,956	16.3	16.6										
2004	54,429	4.0	7.0	13.1	26,109	15.9	16.9										
2003	45,457	6.0	5.1	16.8	22,495	17.6	19.6										
2002	649	4.8	7.9	14.3	280	18.2	19.6										
2001	50,032	6.2	5.2	16.3	22,083	17.3	18.7										
2000	829	3.3	5.9	13.6	319	17.9	16.6										
1999	2	*	*	*	0	*	*										
1998	51,780	6.7	5.3	15.4	23,272	17.8	17.8										

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 21C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
6 - 11 Months				18 - 23 Months			
	2007	2,801	11.5		2007	4,573	10.9
	2006	2,929	10.8		2006	4,408	10.9
	2005	2,566	10.4		2005	4,522	10.3
	2004	2,775	11.1		2004	4,612	9.9
	2003	2,218	15.2		2003	4,578	10.1
	2002	59	*		2002	70	*
	2001	6,148	15.8		2001	4,603	9.8
	2000	125	14.4		2000	48	*
	1999	1	*		1999	0	*
	1998	6,522	16.1		1998	4,810	9.4
12 - 17 Months				24 - 35 Months			
	2007	8,567	11.1		2007	8,608	9.9
	2006	8,000	10.2		2006	8,526	9.8
	2005	6,996	9.6		2005	8,751	9.2
	2004	7,179	11.1		2004	9,054	10.5
	2003	6,082	11.5		2003	8,531	11.7
	2002	114	11.4		2002	79	*
	2001	6,246	10.4		2001	8,462	11.2
	2000	85	*		2000	96	*
	1999	2	*		1999	1	*
	1998	6,029	11.1		1998	8,546	11.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 21C
2007 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
36 - 59 Months				Total All Age Groups			
	2007	12,724	7.8		2007	37,273	9.7
	2006	12,618	7.8		2006	36,481	9.4
	2005	14,197	7.2		2005	37,032	8.7
	2004	15,104	7.4		2004	38,724	9.4
	2003	14,595	7.2		2003	36,004	9.9
	2002	232	6.9		2002	554	10.1
	2001	14,211	7.9		2001	39,670	10.4
	2000	237	6.3		2000	591	10.7
	1999	1	*		1999	5	*
	1998	15,246	8.2		1998	41,153	10.8
All Other/Unknown							
	2007	0	*				
	2006	0	*				
	2005	0	*				
	2004	0	*				
	2003	0	*				
	2002	0	*				
	2001	0	*				
	2000	0	*				
	1999	0	*				
	1998	0	*				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

